

Dromex




CUT5 CHEMICAL GLOVE



57H201B

EN 388: 20XX



4543

EN 407: 2004



X2XXXX

Description

Dromex® 57#H201B consists of a 100% Dromex® CUT5 outer liner, reinforcing the HCT (Hybrid Coating Technology) multilayer nitrile coating that provides protection against cut, abrasion and heat. For use in industries such as steel/glass sheet handling, mining, construction work, chemical handling oil and gas.

Contact heat protection of the glove is based on the temperatures at which the wearer will feel no pain for at least 15 seconds and at a level 2 contact temperature of 250°C.

Consists of a cotton inner liner for added breathability and comfort, with the rough HCT. The nitrile surface finishing gives excellent grip in oily conditions.

Special Instructions

Although the manufacturer has examined these gloves under the system for ensuring quality of production by means of monitoring and inspection, we recommend that all gloves should be thoroughly inspected before use to ensure no damage is present.

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer. The gloves and information contained herein are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. Actual conditions of use cannot be directly simulated in a test environment, therefore it is the responsibility of the user and not the manufacturer or supplier to determine the suitability for intended use.

Compliance & Conformity

Complies with the requirements of CE type examinations EN 420 for innocuousness, EN 388 for compliance with directive 89/686/EEC Mechanical Risks (4,5,4,3) and EN 407:2004 Thermal Risks for Heat and Flame (X2XXXX). Quality System conforms to ISO 9001:2008 and environmental management system ISO 14001:2015 system certificates or acceptable equivalent.

Specifications

Style: Wing thumb, fully dipped palm and fingers
 Liner: Cotton
 Palm: HCT (Hybrid Coating Technology) 1.9mm ± 5 %
 Back: HCT (Hybrid Coating Technology) multilayer nitrile coating 1.9mm ± 5 %
 Cuff: 100% Dromex® Cut 5
 Mass: ±200 g per pair
 Additional: Also available with high visibility reflective tape (12mm), Dromex® part number 57H201B-RT



57H201B-RT

Packaging, Storage & Obsolescence


Packed 12 pairs per bundle and 60 pairs per carton for shipping. Store in a cool, dry place. Stored correctly, the gloves physical properties will not change for up to three years.



Cleaning & Maintenance

Gloves should not be left in a contaminated condition if re-use is intended especially if potential hazards exist. Before removal from the hands excess contaminant should first be removed from the glove. Should this not be possible, it is advisable to ease left and right hand gloves off using the gloved hand & remove the gloves without the contaminant contacting the bare hands.

The gloves may then be decontaminated as indicated below:



In order to maximise the glove life cycle, we recommend the mildest possible cleaning conditions in terms of temperature, chemicals and cycle duration.

Due to a wide variety of possible constructions and combinations with other materials we recommend to always consult your professional cleaning service to determine the best suitable cleaning method.

Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Gloves should be disposed of considering the hazardous substances they were used for. Please consider recycling.


Sizes Available

Code	Size	Palm Length
57H201B-10	L/XL	120mm (±2mm)
57H201B+REF-10	L/XL	120mm (±2mm)

*As per the EN420 standard, actual measurement of gloves are determined by the manufacturer, taking into account the behaviour of the glove material, its thickness (such as leather gloves, PVC gloves etc), elasticity and the intended use.

*Sizing charts only serve as a guide. Sizes and measurements are for reference only. In order to make an informed decision, always try on the gloves as each glove features a unique construction to accommodate a wearer's preferences.

Measurement Guide



Materials



1. Wing thumb
2. Fully dipped palm & fingers
3. Extended cuff

Marking



1. Wing thumb
2. Fully dipped palm & fingers
3. Extended cuff with high visibility reflective tape