


Dromex



INDUSTRIAL RUBBER GLOVES H1 & H2

EN 388:2016



3110X



H1



H2

Description

Dromex® H1 and H2 heavy duty black and orange unlined natural rubber latex gloves are thicker than regular latex gloves making them considerably more durable with high elasticity whilst providing increased protection against punctures and abrasion.

These gloves are available in different lengths with an option of either a smooth and crinkled palm finish. Crinkled finish palm and fingers are especially good for grip in wet and oily applications such as handling and assembling of small oily parts and general assembly.

The rolled cuffs prevent glove rolldown/rollback and provides drip protection for the forearm.

Suitable for use in industrial environments such as mines, hardwares, construction, plumbing and material handling as well as mechanical industries.

These thick natural latex gloves are designed to protect hands and arms for special jobs such as chemical disposal and contact, handling laboratory experiment, unidentified liquid and powder recycle and examination, corpse transportation, agricultural pesticide, plywood manufacturing, work in plague zone, fishing, etc.

Special Instructions

Although the manufacturer has examined these gloves under the system for ensuring quality of production by means of monitoring and inspection, we recommend that all gloves should be thoroughly inspected before use to ensure no damage is present.

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer. The gloves and information contained herein are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. Actual conditions of use cannot be directly simulated in a test environment, therefore it is the responsibility of the user and not the manufacturer or supplier to determine the suitability for intended use.

Compliance & Conformity

Complies with the requirements of CE type examinations EN 420 for innocuousness and EN 388:2016 for Mechanical Risks (3,1,1,0,X).

Specifications

Style: Heavy duty, black rubber latex glove, with a rolled open cuff and a choice of smooth or crinkled palm and length belows:

- H1-40 Smooth Palm, Rolled Cuff, Elbow 40cm length
- H2-40 Rough Palm, Rolled Cuff, Elbow 40cm length
- H2-55 Rough Palm, Rolled Cuff, Shoulder 55cm length

Liner: N/A

Palm: Crinkled palm, 0.7mm ±5%
Smooth palm, 0.7mm ±5 %

Wrist : Smooth finish 0.6 mm ±5 %

Mass: H1-40 220g (±5) per pair (size L)
 H2-40 224g (±5) per pair (size L)
 H2-55 288g (±5) per pair (size L)

Packaging, Storage & Obsolescence

Individually wrapped and sold as 120 pairs per carton for shipping.

Store in a cool, dry, dark place.

Stored correctly, the gloves physical properties will not change for up to three years.



Cleaning & Maintenance

Gloves should not be left in contaminated condition if re-use is intended especially if potential hazards exist. Before removal from the hands excess contaminant should first be removed.

Should this not be possible, it is advisable to ease left and right hand gloves off using the gloved hand and remove the gloves without the contaminant contacting the bare hands.

These gloves may then be decontaminated with mild detergent solution, then rinsed with clean water and dried ideally with some air movement.

In order to maximise the glove life cycle, we recommend the mildest possible cleaning conditions in terms of temperature, chemicals and cycle duration.

Due to a wide variety of possible constructions and combinations with other materials we recommend to always consult your professional cleaning service to determine the best suitable cleaning method.

Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Gloves should be disposed of considering the hazardous substances they were used for. Please consider recycling.

Sizes Available

L (All styles)

Code	Size	Palm Length
H1-40	L	113mm (±2mm)
H2-40	L	113mm (±2mm)
H2-55	L	113mm (±2mm)

** As per the EN420 standard, actual measurement of gloves are determined by the manufacturer, taking into account the behaviour of the glove material, its thickness (such as leather gloves, PVC gloves etc), elasticity and the intended use.*

** Sizing charts only serve as a guide. Sizes and measurements are for reference only. In order to make an informed decision, always try on the gloves as each glove features a unique construction to accommodate a wearer's preferences.*

Measurement Guide

