


Dromex



PVC GLOVES CRONUS RGE & RGW STOP & GO GLOVES



CRONUS/RGE & RGW

Description

Dromex® heavy duty, high visibility, lime green and red, fully coated PVC (Poly Vinyl Chloride) gloves are used as Stop and Go gloves for visual signal purposes, required in the mining industry.

Cronus RGE and RGW gloves protects the hands from the hazards of most acids, oils fats, caustics and petroleum hydrocarbons.

Cronus RGE and RGW gloves features a reinforced palm and fingers, interlock lined, excellent abrasion protection and tear resistant properties, that provides good grip and performs well in wet, greasy, oily and dry environments.

Polyester interlock jersey lining is extremely soft, warm and a little stretchy which provides comfort to the hand.

Suitable for applications of handling/assembling of materials, used in automotive, construction, sheet metal, mining, recycling and utilities industries.

Cronus range of PVC gloves is available in the following designs:

- CRONUS/RGW – 27cm Wrist glove with a 7.5 cm knit wrist cuff.
- CRONUS/RGE – 35cm Elbow glove with a 16 cm open cuff

Special Instructions

Although the manufacturer has examined these gloves under the system for ensuring quality of production by means of monitoring and inspection, we recommend that all gloves should be thoroughly inspected before use to ensure no damage is present.

None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer. The gloves and information contained herein are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. Actual conditions of use cannot be directly simulated in a test environment, therefore it is the responsibility of the user and not the manufacturer or supplier to determine the suitability for intended use.

Compliance & Conformity

Complies with the requirements of CE type examinations EN 420 for innocuousness, EN 388 for Mechanical Risks (4,1,31).

Specifications

Style:	Red and green fully coated pvc gloves with interlock lining
Liner:	Polyester cotton
Palm:	PVC 2.6mm ± 5%
Back:	PVC 0.4mm ± 5%
Cuff:	CRONUS/RGW – 7.5 cm cuff knit wrist cuff CRONUS/RGE – 16 cm open cuff
Mass:	CRONUS/RGW ± 180 g per pair size (L) CRONUS/RGE ± 280 g per pair size (L)

Sizes Available

10

Packaging, Storage & Obsolescence

Sold as 72 pairs per carton for shipping.

Store in a cool, dry, dark place.

Stored correctly, the gloves physical properties will not change for up to three years.



Cleaning & Maintenance

Gloves should not be left in contaminated condition if re-use is intended especially if potential hazards exist. Before removal from the hands excess contaminant should first be removed. Should this not be possible, it is advisable to ease left and right hand gloves off using the gloved hand and remove the gloves without the contaminant contacting the bare hands. These gloves may then be decontaminated with mild detergent solution, then rinsed with clean water and dried ideally with some air movement. In order to maximise the glove life cycle, we recommend the mildest possible cleaning conditions in terms of temperature, chemicals and cycle duration.

Due to a wide variety of possible constructions and combinations with other materials we recommend to always consult your professional cleaning service to determine the best suitable cleaning method.

Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Gloves should be disposed of considering the hazardous substances they were used for. Please consider recycling.

Materials



1. Wing thumb
2. Re-inforced palm & fingers
3. Fully coated PVC
4. 35cm Elbow glove with 16cm Open cuff

Marking

