



ARC FLASH X BIB ATPV 15 Cal/cm²



Decription

The Dromex® Arc product range is designed to protect the user from the hazards of heat and to reduce total burn injury when working in environments exposed to electric arc hazards.

Dromex® Arc garments are manufactured with our exclusive Dromex® A.P.T™ (Arc Protective Technologies) fabric blend, which has been carefully developed by our team along with industry experts and professionals to ensure specialised Arc safety and global standards are met.

Our Dromex® A.P.T™ fabric and garments have been tested to NFPA, ASTM, EN, SABS and IEC standards.

This garment consists of the following:

- A high visibility flame retardant lime/silver/lime reflective tape on front torso, waist and X at centre back for enhanced visibility.
- Concealed flame retardant Velcro closure at centre front and sides.
- Concealed adjustable flame retardant Velcro closure over shoulder back for

These garments are commonly used in the following industries:

- Railway and highway
- Airport
- Emergency services

Dromex® A.P.T™ fabrics are self-extinguishing, heat resistant and resistant to ignition. Dromex® Arc garments are sewn with flame retardant thread.











Note: For electric arc exposures, wear the correct number of flame resistant clothing layers as dictated by an electric arc hazard analyst.

In potentially explosive environments, proper grounding procedures must be used for protection against electrostatic spark ignition.

Do not put on or remove garments when in a potentially explosive environment. None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer.

The manufacturer has examined under the system for ensuring quality of production by means of monitoring and inspection.

These Arc flash X bibs are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment.

The information contained herein is intended to assist the wearer in the selection of Personal Protective Equipment.

Actual conditions of use cannot be directly simulated in a test environment therefore it is the responsibility of the end user and not the manufacturer or supplier to determine the arc flash suitability for the intended use. Arc flash protective bibs should be thoroughly inspected before use to ensure no damage is present.

Specifications

1-Piece adjustable bib with reflective strips, Style:

available in orange.

88% Cotton 12% Nylon. Fabric composition:

Mass: 305qsm. Reflective tape: 50mm.

Additional:

Arc clothing must be worn with additional and correctly selected Arc PPE to ensure complete protection against the hazards of Arc Flash. Refer to table "Arc Flash PPE

Categories" for further compatible PPE.

Packaging

DW-ARCXBIB15 are packed in a resealable polybag and sold individually.

Sizes Available

Small to X Large: S-XL. 2X Large to 5 X Large: 2XL-5XL.

Compliance & Conformity

- Complies to marking SANS 724, Personal Protective Equipment and protective clothing against the thermal hazards of an electric arc.
- IEC 61482-1-1 Live working Protective clothing against the thermal hazards of an electric arc - Open Arc Test Method. It determines the Arc Thermal Protection Value (ATPV level) of the garment. The basic principle is that the ATPV of the garment must be higher than the Arc Flash energy.
- IEC 61482-1-2, Live working Protective clothing against the thermal hazards of an electric arc - Box Test Method. It determines the Arc Protection Class Rating of the material or garment by using a constrained and directed
- EN 61482-1-2:2014 LIVE WORKING PROTECTIVE CLOTHING AGAINST THE THERMAL HAZARDS OF AN ELECTRIC ARC - PART 1-2: TEST METHODS -METHOD 2: DETERMINATION OF ARC PROTECTION CLASS OF MATERIAL AND CLOTHING BY USING A CONSTRAINED AND DIRECTED ARC (BOX TEST) (IEC 61482-1-2:2014).
- NFPA 2112 Standard on flame resistant clothing for protection of industrial personnel against short duration thermal exposures from fire.
- NFPA 70E Standard for electrical safety clothing for employees.
- · ASTM F1959, Standard Test Method for Determining the Arc Rating of Materials for Clothing.
- ASTM F2621-12, Standard Practice for Determining Response

Characteristics and Design Integrity of Arc Rated Finished Products in an Electric Arc Exposure.

- EN 11611:2015, Protective clothing for use in welding and allied processes.
- EN 11612:2015 Protective clothing -- Clothing to protect against heat and flame -- Minimum performance requirements.

Cleaning & Maintenance

Garments of Dromex® A.P.T™ brand fibre can be cleaned by home or commercial laundry or by dry cleaning procedures without loss of their inherent protective features.

The following suggestions will help keep your garment safe and neat. Should home procedures not remove contaminants, commercial laundering or dry-cleaning is recommended:

- Launder garments of Dromex® A.P.T™ separate from personal non-flame resistant clothing to help avoid contamination by flammable materials.
- Pre-treat greasy stains and collar/cuff lines.
- Wash garments in warm water with heavy duty detergent.
- Do not overload home laundry equipment.
- Do not use chlorine bleach or detergents containing chlorine bleach.
- Chlorine bleach may cause fading and reduce fabric strength.
- Tumble dry garments at a low setting.
- Remove and hang garments as soon as tumbler stops.
- Do not hang in direct sun as fading and reduction of fabric strength can
- When using commercial laundry aids, be sure to carefully follow the manufacturer's instructions.

Warm	Do not use	Tumble	Cool Iron	Dry
Wash	Bleach	Dry Low		Cleanable
60C	\boxtimes	\odot	•	P

Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Workwear should be disposed of considering the hazardous substances they were used for as well as the material they are made up of. Please consider recycling.

Marking

MAIN LABEL



Back neck (Inside)

SIZE LABEL



Position: Neck (Inside)

DROMEX ARC BOOKLET



Tag attached inside garment

DROMEX A.P.T. WATERMARK



All over print (Inside fabric)

Dromex: Unit 1, 1 Blase Road, New Germany, 3620, South Africa T. +27(31) 713 1960 E. info@dromex.co.za www.dromex.co.za

Arc Flash PPE Categories

Hazard/Risk Category	FR (flame retardant) Recommended clothing used at this level	Required minimum ATPV (Cal/cm²) as per EN	Workwear	Other PPE	
HRC 1	• FR shirt (T-shirt short sleeve worn inside Long sleeve shirt) and FR pants; or boilersuits; (Single base layer of FR protection)	4	ARC T-SHIRT BOXER SHORT SS&LS	ARC VISOR ARC LEATHER *(must wear with Balaclava) ARC BALACLAVA EARPLUGS	
HRC 2	FR under garments (undershirt, underwear) FR shirt and FR pants; or FR boilersuits; (2 or more layers of FR protection)	8	ARC SHIRT & ARC ARC 2 PIECE ARC DENIM JEAN DUST COAT X BIB CONTI-SUIT BOILERSUIT	DIPPED ARC ARC GLOVES SWITCHING GLOVES ARC HARD HAT SAFETY BOOTS	
HRC3	• FR under garments (undershirt, underwear), FR shirt, FR jacket, FR pants or FR boilersuits; (2 -3 or more layers of FR protection)	25	ARC PADDED JACKET	ARC ANKLE EARPLUGS ARC LEATHER ARC HARD HAT SAFETY BOOTS GLOVES ARC SWITCHING DIPPED *(must wear gloves) ARC GLOVES with Balaclava) BALACLAVA	
HRC 4	• FR under garments (Undershirt, underwear), • FR shirt, FR jacket/coat, FR pants or FR boilersuits; (3-4 or more layers of FR protection)	40	ARC BIB & BRACE, JACKET AND HOOD WITH VISOR	ARC SWITCHING ARC LEATHER EARPLUGS ARC ANKLE SAFETY BOOTS	