



BUYERS GUIDE 2021-2023



ABOUT

ProFit started in 2009 as the brainchild of our fearless leader. He saw a gap in the market for another serious supplier and distributor of well manufactured but affordably priced steel toe cap safety shoes and boots in South Africa. He began importing a core range of about 9 styles to suit specific industry needs. It quickly found homes with some of the most recognised construction, mining, agricultural and engineering firms in South Africa. In 2016, the range rapidly accelerated to 19 styles and a set of comfort adding accessories. Core focus on high efficiency and stock availability, firmly cemented ProFit as a niche brand offering all the bells and whistles for the entire industrial and agricultural sector. Today we have 21 styles available from Certified Distribution Partners in 6 countries across Southern Africa.

Our lean and mean, passionate team has almost 100 years’ worth of combined experience in the safety industry. Our objective is to offer you the perfect solution to all your safety footwear needs. Reach out to us and find out what you can expect from the youngest, most dynamic and fastest growing safety footwear brand in the country. Until you’ve experienced a few hours in a pair of ProFit safety boots or shoes – you’ve never really felt truly comfortable safety.

Our 4 “Pillars of ProFit” are

- More **TRUST**.
- More **EXCELLENCE**.
- More **VALUE**.
- More **EXCLUSIVITY**.



CONTENT

Category	Description	Page
Econo All Rounder	Hobo Shoe JS03S	4
Econo All Rounder	Hobo Boot JS03	5
Mid Range / Bulk Purchase	Parson Boot JS01	6
Mid Range / Bulk Purchase	Lynx Shoe JS02	7
Mid Range Premium / Bulk Purchase	Diablo Boot JS08	8
Mid Range Premium / Bulk Purchase	Diablo Shoe JS09	9
Top End / Hiker	Goliath Brown Boot JS04	10
Top End / Hiker	Goliath Black Boot JS04	11
Top End / Slip On	Assassin Brown Chelsea JS06	12
Top End / Slip On	Bagheera Black Chelsea JS07	13
Top End / Slip On	Assassin Brown Chelsea JS06 NSTC	14
Mid Range / Bulk Purchase	Parson Boot JS01 S1	15
Specialist	All Wheel Drive AS01	16
Specialist	Parson Boot Non Metallic JS01 NM	17
Heavy Duty / High Ankle	Tarantula Tan Boot JS05	18
Heavy Duty / High Ankle	Tarantula Black Boot JS05	19
Heavy Duty	Tarantula Black Shoe JS05S	20
Heavy Duty / Welders Metaguard	Shamrock Boot MR01	21
Mid Range / Ladies	Scarlet Boot LS01	22
Mid Range / Ladies	Charlotte Shoe LS02	23
Heavy Duty / Ladies	Black Widow Boot LS03	24
Heavy Duty / Ladies	Redback Shoe LS04	25
Top End / Hiker	Goliath II Brown Boot JS04	26
Top End / Hiker	Goliath II Black Boot JS04	27
Inner Sole Range	Variety	28
Sock Range	Variety	29
Tread Patterns	Variety	30

HOBO SHOE

BLACK ECONO SAFETY SHOE

SKU: JS03S

Available from our certified partners

RELEASE DATE	1st March 2017
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2011
PAIRS/CARTON	10
LAST/FITTING	Wide
UPPER MATERIAL	Genuine Leather
SOLE MATERIAL	Dual Density Polyurethane
TOE CAP	Yes / 200 Joules
STEEL MIDSOLE	No
INNER SOLE	Yes
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Entry-level "Econo" General Purpose

Standard ISO 20345:2011 tested to ISO 20344:2011
4 sets of eyelets for lacing
Grey/Black Dual Density PU/PU sole
Lightweight, anti-static, slip and abrasion resistant sole
Oil, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



HOBO BOOT

BLACK ECONO SAFETY BOOT

SKU: JS03

Available from our certified partners

RELEASE DATE	1st September 2016
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2011
PAIRS/CARTON	10
LAST/FITTING	Wide
UPPER MATERIAL	Genuine Leather
SOLE MATERIAL	Dual Density Polyurethane
TOE CAP	Yes / 200 Joules
STEEL MIDSOLE	No
INNER SOLE	Yes
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Entry-level "Econo" General Purpose

Standard ISO 20345:2011 tested to ISO 20344:2011
4 sets of D rings for lacing
Grey/Black Dual Density PU/PU sole
Lightweight, anti-static, slip and abrasion resistant sole
Oil, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



PARSON BOOT

BLACK SAFETY BOOT

SKU: JS01

Available from our certified partners



RELEASE DATE

SIZE RANGE

SPECIFICATION

PAIRS/CARTON

LAST/FITTING

UPPER MATERIAL

SOLE MATERIAL

TOE CAP

STEEL MIDSOLE

INNER SOLE

OUTER PACKAGING

INNER PACKAGING

APPLICATIONS

1st September 2016

2-15 Unisex

ISO 20345:2014

10

Wide Fitting

Full Grain Leather

Dual Density Polyurethane

Yes / 200 Joules

Yes / Penetration Resistant Steel

Yes / Anti-static / Arachna Comfort

Corrugated Boxes

Individual Boxes

Construction, Engineering,
Agriculture, Warehousing, General

Standard ISO 20345:2014 tested to ISO 20344:2011

4 sets of D rings for lacing

Extended PU Toe Bump for added protection and scuff
resistance

Anti-static, slip and abrasion resistant sole

Oil, acid, petrol & diesel resistant sole


Care should always be taken on wet or oily surfaces

LYNX SHOE

BLACK SAFETY SHOE

SKU: JS02

Available from our certified partners



RELEASE DATE

SIZE RANGE

SPECIFICATION

PAIRS/CARTON

LAST/FITTING

UPPER MATERIAL

SOLE MATERIAL

TOE CAP

STEEL MIDSOLE

INNER SOLE

OUTER PACKAGING

INNER PACKAGING

APPLICATIONS

1st September 2016

2-15 Unisex

ISO 20345:2014

10

Wide Fitting

Full Grain Leather

Dual Density Polyurethane

Yes / 200 Joules

Yes / Penetration Resistant Steel

Yes / Anti-static / Arachna Comfort

Corrugated Boxes

Individual Boxes

Construction, Engineering,
Packaging, Warehousing,
Manufacturing, General

Standard ISO 20345:2014 tested to ISO 20344:2011

3 sets of D-rings for lacing

Extended PU toe-bump for added protection and scuff
resistance

Anti-static, slip and abrasion resistant sole

Oil, acid, petrol & diesel resistant sole

Care should always be taken on wet or oily surfaces

DIABLO BOOT

BLACK SAFETY BOOT

SKU: JS08

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL

14th October 2019
2-15 Unisex
ISO 20345:2014
10
Wide Fitting
100% Full Grain Leather
Dual Density Black/Brown
Polyurethane
Yes / 200 Joules
No
Yes / Anti-static / ProFit ComFit
Corrugated Boxes
Individual Boxes
Heavy Duty, Engineering,
Construction, Mining, Agriculture,
Forecourts, Oil & Gas

TOE CAP
STEEL MIDSOLE
INNER SOLE
OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

Standard ISO 20345:2014 tested to ISO 20344:2011
Full grain leather upper, leather padded bellows tongue
and padded leather collar
Lightweight, anti-static, slip and abrasion resistant sole
4 Sets of d-rings for lacing
Heat resistant to 110 degrees centigrade
Care should always be taken on wet or oily surfaces



DIABLO SHOE

BLACK SAFETY SHOE

SKU: JS09

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL

14th October 2019
2-15 Unisex
ISO 20345:2014
10
Wide Fitting
100% Full Grain Leather
Dual Density Black/Brown
Polyurethane
Yes / 200 Joules
No
Yes / Anti-static / ProFit ComFit
Corrugated Boxes
Individual Boxes
Heavy Duty, Engineering,
Construction, Mining, Agriculture,
Forecourts, Oil & Gas

TOE CAP
STEEL MIDSOLE
INNER SOLE
OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

Standard ISO 20345:2014 tested to ISO 20344:2011
Full grain leather upper, leather padded bellows tongue
and padded leather collar
Lightweight, anti-static, slip and abrasion resistant sole
3 Sets of D-rings for lacing
Heat resistant to 110 degrees centigrade
Care should always be taken on wet or oily surfaces



GOLIATH BOOT

BROWN HIKER BOOT

SKU: JS04 BROWN
Available from our certified partners



RELEASE DATE	1st January 2017
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	S2 Oily Waxy Water Repellent Full Grain Leather
SOLE MATERIAL	Dual Density Polyurethane
TOE CAP	Yes / 200 Joules
STEEL MIDSOLE	No
INNER SOLE	Yes / Anti-static / ProFit ComFit
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Construction, Engineering and Agriculture

Standard ISO 20345:2014 tested to ISO 20344:2011
4 sets of D-rings for lacing and 1 set of top speed-hooks
Padded comfort collar with integrated heel and ankle support system
Extended PU toe bump cap
Sports mesh cushioned lining
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



GOLIATH BOOT

BLACK HIKER BOOT

SKU: JS04 BLACK
Available from our certified partners



RELEASE DATE	1st January 2017
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	S2 Oily Waxy Water Repellent Full Grain Leather
SOLE MATERIAL	Dual Density Polyurethane
TOE CAP	Yes / 200 Joules
STEEL MIDSOLE	No
INNER SOLE	Yes / Anti-static / ProFit ComFit
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Construction, Engineering and Agriculture

Standard ISO 20345:2014 tested to ISO 20344:2011
4 sets of D-rings for lacing and 1 set of top speed-hooks
Padded comfort collar with integrated heel and ankle support system
Extended PU toe bump cap
Sports mesh cushioned lining
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



ASSASSIN CHELSEA

BROWN SLIP ON BOOT

SKU: JS06

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL

1st January 2017
2-15 Unisex
ISO 20345:2011
10
Wide Fitting
S2 Oily Waxy Water Repellent Full Grain Leather
Dual Density Polyurethane
Yes / 200 Joules
No
Yes / Anti-static / ProFit ComFit
Corrugated Boxes
Individual Boxes
Versatile / Heavy Duty, Construction, Engineering, Agriculture, Packing, Warehouse, Oil Rigs

SOLE MATERIAL
TOE CAP
STEEL MIDSOLE
INNER SOLE
OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

Standard ISO 20345:2011 tested to ISO 20344:2011
Easy Pull On Tabs
Extended PU Toe Bump Cap
Sports Mesh Cushioned Lining
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



BAGHEERA CHELSEA

BLACK SLIP ON BOOT

SKU: JS07

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL

1st January 2017
2-15 Unisex
ISO 20345:2011
10
Wide Fitting
S2 Oily Waxy Water Repellent Full Grain Leather
Dual Density Polyurethane
Yes / 200 Joules
No
Yes / Anti-static / ProFit ComFit
Corrugated Boxes
Individual Boxes
Versatile / Heavy Duty, Construction, Engineering, Agriculture, Packing, Warehouse, Oil Rigs

SOLE MATERIAL
TOE CAP
STEEL MIDSOLE
INNER SOLE
OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

Standard ISO 20345:2011 tested to ISO 20344:2011
Easy pull-on tabs
Extended PU toe bump cap
Sports mesh cushioned lining
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



ASSASSIN CHELSEA

BROWN SLIP ON BOOT NON-STEEL TOE CAP

SKU: JS06 NSTC

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION

March 2021
2-15 Unisex
ISO 20347:2104 (O2 Occupational Footwear)

PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL

10
Wide Fitting
S2 Oily Waxy Water Repellent Full Grain Leather

SOLE MATERIAL
TOE CAP

Dual Density Polyurethane
None

STEEL MIDSOLE
INNER SOLE

No
Yes / Anti-static / ProFit ComFit

OUTER PACKAGING

Corrugated Boxes

INNER PACKAGING

Individual Boxes

APPLICATIONS

Agriculture, Hiking, Hunting, Office, Fashion

ISO 20347:2104 (O2 → Occupational Footwear)
Easy Pull On Tabs
No Toe Cap

Sports Mesh Cushioned Lining
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces

PARSON S1 BOOT

BLACK SUPERFLEX SAFETY BOOT

SKU: JS01 S1

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION

1st April 2021
2-15 Unisex
ISO 20345:2014

PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL

10
Expanded Wide Fitting
Full Grain Leather

SOLE MATERIAL

Dual Density Black/Brown Polyurethane

TOE CAP
STEEL MIDSOLE

Yes / 200 Joules
No

INNER SOLE

Yes / Anti-static / Profit Comfit PU Gel-foam Footbed

OUTER PACKAGING

Corrugated Boxes

INNER PACKAGING

Individual Boxes

APPLICATIONS

Construction, Engineering, Mining, Agriculture, Warehousing, General

Standard ISO 20345:2014 tested to ISO 20344:2011
4 sets of D rings for lacing

Extended PU Toe Bump for added protection and scuff resistance

Anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
110 degree heat resistant outer sole
Care should always be taken on wet or oily surfaces

ALL WHEEL DRIVE

BLACK SAFETY SNEAKER

SKU: AS01

Available from our certified partners



RELEASE DATE	1st November 2018
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	High Abrasion Resistant Full Grain Astico Diamante Leather / S2 Water Resistant / Reflective Side Stripe
SOLE MATERIAL	Dual Density Black/Grey Polyurethane
TOE CAP	Yes / Wide Fitting / 200 Joules
STEEL MIDSOLE	No
INNER SOLE	Yes / Anti-static / Profit Comfit PU Gel-foam Footbed
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Automotive, Chemical & Medical, Warehousing, Pack Houses, Food & Beverage, Office to Factory Floors, Clinical Work Environments

Standard ISO 20345:2014 tested to ISO 20344:2011
Astico abrasion resistant diamante leather, collar and tongue

5 sets of non metal pilot eyelets for lacing
Lightweight, anti-static, slip and abrasion resistant sole
Heat resistant to 90 degrees centigrade
Care should always be taken on wet or oily surfaces



PARSON NM BOOT

BLACK SAFETY BOOT NON-METALLIC

SKU: JS01 NM

Available from our certified partners



RELEASE DATE	1st September 2016
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	Full Grain Leather
SOLE MATERIAL	Dual Density Polyurethane
TOE CAP	Yes / Glass fibre / 200 Joules
MIDSOLE	Yes / Kevlar Penetration Resistant
INNER SOLE	Yes / Removable "Profit Comfit" PU Injected Footbed
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Mining, Construction, Engineering, Automotive, Metal-free Work Environments

Standard ISO 20345:2014 tested to ISO 20344:2014
4 sets of non-metallic speed rings for lacing
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
90 degree heat resistant outsole
Padded sports mesh cushioned lining
Care should always be taken on wet or oily surfaces



TARANTULA BOOT

TAN HIGH ANKLE WEATHERPROOF BOOT

SKU: JS05 TAN
Available from our certified partners



RELEASE DATE	1st September 2016
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2011
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	S3 Full Grain Leather / Water Resistant
SOLE MATERIAL	Dual Density Rubber / Polyurethane
TOE CAP	Yes / 200 Joules
MIDSOLE	Yes / Penetration Resistant Kevlar
INNER SOLE	Yes / Arachna Comfort Insole
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Heat, Construction, Engineering, Petroleum, Mining, Agriculture and Electrical

Standard ISO 20345:2011 tested to ISO 20344:2011
4 sets of hexagon-shaped eyelets and 2 sets of speed-hooks for lacing
Non-conductive, slip and abrasion resistant sole
300 degree heat resistant outer sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



TARANTULA BOOT

BLACK HIGH ANKLE WEATHERPROOF BOOT

SKU: JS05 BLACK
Available from our certified partners



RELEASE DATE	1st January 2017
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	S3 Full Grain Leather / Water Resistant
SOLE MATERIAL	Dual Density Rubber / Polyurethane
TOE CAP	Yes / 200 Joules
MIDSOLE	Yes / Penetration Resistant Kevlar
INNER SOLE	Yes / Arachna Comfort Insole
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Heat, Construction, Engineering, Petroleum, Mining, Agriculture and Electrical

Standard ISO 20345:2014 tested to ISO 20344:2011
4 sets of hexagon-shaped eyelets and 2 sets of speed-hooks for lacing
Non-conductive, slip and abrasion resistant sole
300 degree heat resistant outer sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



TARANTULA SHOE

BLACK WEATHERPROOF SHOE

SKU: JS05S

Available from our certified partners

RELEASE DATE	1st March 2018
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	S3 Full Grain Leather / Water Resistant
SOLE MATERIAL	Dual Density Rubber / Polyurethane
TOE CAP	Yes / 200 Joules
MIDSOLE	Yes / Penetration Resistant Kevlar
INNER SOLE	Yes / Arachna Comfort Insole
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Heat, Construction, Engineering, Agriculture and Electrical

Standard ISO 20345:2014 tested to ISO 20344:2011
3 sets of hexagon-shaped eyelets and 1 set of speed-hooks for lacing
Non-conductive, slip and abrasion resistant sole
300 degree heat resistant outer sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



SHAMROCK BOOT

METATARSAL BOOT

SKU: MR01

Available from our certified partners

RELEASE DATE	1st October 2017
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Wide Fitting
UPPER MATERIAL	100% Full Grain Leather
SOLE MATERIAL	Dual Density Rubber / Polyurethane
TOE CAP	Yes / 200 Joules
MIDSOLE	Yes / Penetration Resistant Kevlar
INNER SOLE	Yes / Arachna Comfort Insole
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Heat, Metatarsal Guard, Welding, Heavy Construction, Heavy Engineering and Mining

Standard ISO 20345:2014 tested to ISO 20344:2014
5 sets of D-rings for lacing underneath a flexible Kevlar stitched leather spat, with integrated metatarsal protector for upper foot protection
Non-conductive, Non-marking, slip and abrasion resistant outer sole
Outer sole heat resistant to 300 degrees centigrade
Extended heavy duty toe bump cap, for scuff resistance and further spatter protection
Care should always be taken on wet or oily surfaces



HEAVY DUTY
WELDERS METAGUARD

SCARLET BOOT

BLACK LADIES SAFETY BOOT

SKU: LS01

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL

1st September 2016
2-9 Ladies
ISO 20345:2014
10
Ladies Specific Fitting
Genuine Leather with Soft, Padded Collar and Tongue

SOLE MATERIAL
TOE CAP

Dual Density Pink/Black Polyurethane
Yes / 200 Joules

STEEL MIDSOLE
INNER SOLE

No
Yes / Anti-Static / Profit Comfit Ladies Pu Gel-foam Footbed

OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

Corrugated Boxes
Individual Boxes
General, Construction, Engineering, Agriculture, Packaging and Warehousing

Standard ISO 20345:2014 tested to ISO 20344:2011
6 sets of D-rings for lacing
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



CHARLOTTE SHOE

BLACK LADIES SAFETY SHOE

SKU: LS02

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL

1st September 2016
2-9 Ladies
ISO 20345:2014
10
Ladies Specific Fitting
Genuine Leather with Soft, Padded Collar and Tongue

SOLE MATERIAL
TOE CAP

Dual Density Pink/Black Polyurethane
Yes / 200 Joules

STEEL MIDSOLE
INNER SOLE

No
Yes / Anti-Static / Profit Comfit Ladies Pu Gel-Foam Footbed

OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

Corrugated Boxes
Individual Boxes
General, Construction, Engineering, Agriculture, Packaging and Warehousing

Standard ISO 20345:2014 tested to ISO 20344:2011
4 sets of D-rings for lacing
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



BLACK WIDOW BOOT

LADIES HEAT RESISTANT BOOT

SKU: LS03

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
STEEL MIDSOLE
INNER SOLE
OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

1st March 2018
2-9 Ladies
ISO 20345:2014
10
Ladies Specific Fitting
100% Full Grain Leather
Dual Density Rubber/ Polyurethane
Yes / 200 Joules
No
Yes / Arachna Comfort
Corrugated Boxes
Individual Boxes
Heavy Duty, Heat, Construction,
Engineering, Agriculture and
Industry

Standard ISO 20345:2014 tested to ISO 20344:2014
4 sets of non-metal D-rings and 2 sets of speed-hooks
for lacing
Non-conductive, non-marking, slip and abrasion
resistant sole
300 degree heat resistant outer sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



REDBACK SHOE

LADIES HEAT RESISTANT SHOE

SKU: LS04

Available from our certified partners



RELEASE DATE
SIZE RANGE
SPECIFICATION
PAIRS/CARTON
LAST/FITTING
UPPER MATERIAL
SOLE MATERIAL
TOE CAP
STEEL MIDSOLE
INNER SOLE
OUTER PACKAGING
INNER PACKAGING
APPLICATIONS

1st March 2018
2-9 Ladies
ISO 20345:2014
10
Ladies Specific Fitting
100% Full Grain Leather
Dual Density Rubber/Polyurethane
Yes / 200 Joules
No
Yes / Arachna Comfort
Corrugated Boxes
Individual Boxes
Heavy Duty, Heat, Construction,
Engineering, Agriculture and
Industry

Standard ISO 20345:2014 tested to ISO 20344:2014
3 sets of non-metal D-rings and 1 set of speed-hooks
for lacing
Non-conductive, non-marking, slip and abrasion
resistant sole
300 degree heat resistant outer sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



GOLIATH II BOOT

HIGH BROWN HIKER BOOT

SKU: JS04 II BROWN
Available from our certified partners



RELEASE DATE	Coming 2022!
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Expanded Wide Fitting
UPPER MATERIAL	S2 Oily Waxy Water Repellent Full Grain Leather
SOLE MATERIAL	Dual Density Polyurethane
TOE CAP	Yes / 200 Joules
STEEL MIDSOLE	No
INNER SOLE	Yes / Anti-static / ProFit ComFit
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Construction, Engineering, Petroleum, Mining and Agriculture

Standard ISO 20345:2014 tested to ISO 20344:2011
5 sets of D-rings for lacing and 1 set of top speed-hooks
Padded comfort collar lining, with raised ankle support and protection to lower cutaway back for less Achilles irritation
Extended PU toe bump cap
Sports mesh cushioned lining
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



GOLIATH II BOOT

HIGH BLACK HIKER BOOT

SKU: JS04 II BLACK
Available from our certified partners



RELEASE DATE	Coming 2022!
SIZE RANGE	2-15 Unisex
SPECIFICATION	ISO 20345:2014
PAIRS/CARTON	10
LAST/FITTING	Expanded Wide Fitting
UPPER MATERIAL	S2 Oily Waxy Water Repellent Full Grain Leather
SOLE MATERIAL	Dual Density Polyurethane
TOE CAP	Yes / 200 Joules
STEEL MIDSOLE	No
INNER SOLE	Yes / Anti-static / ProFit ComFit
OUTER PACKAGING	Corrugated Boxes
INNER PACKAGING	Individual Boxes
APPLICATIONS	Heavy Duty, Construction, Engineering, Petroleum, Mining and Agriculture

Standard ISO 20345:2014 tested to ISO 20344:2011
5 sets of D-rings for lacing and 1 set of top speed-hooks
Padded comfort collar lining, with raised ankle support and protection to lower cutaway back for less Achilles irritation
Extended PU toe bump cap
Sports mesh cushioned lining
Lightweight, anti-static, slip and abrasion resistant sole
Oil, acid, petrol & diesel resistant sole
Care should always be taken on wet or oily surfaces



INNER SOLE RANGE



PROFIT COMFIT SOLE PINK FRONT / PINK BACK Biochemical Footbed Insole

SKU: ISL1

Biomechanical gel-foam footbed
Insole in polybag
Individually sized 2 to 9
Order per required size.



PROFIT COMFIT SOLE BLACK FRONT / ORANGE BACK Biochemical Footbed Insole

SKU: IS02

Biomechanical gel-foam footbed
Insole in polybag
Individually sized 2 to 15
Order per required size



ARACHNA SOLE BLACK FRONT / YELLOW BACK Biochemical Footbed Insole

SKU: IS01

Biomechanical footbed
Insole in polybag
Arachna Yellow Cut To Fit
Sizes 2,3 / 4,5,6 / 7,8,9 / 10,11,12 /
13,14,15

SOCK RANGE



ANTIBACTERIAL ANTISTATIC INDUSTRIAL SOCKS PROFIT MEN'S SOCKS

SKU: PSASB1

ONE SIZE FITS ALL
76% Cotton
22 % Polyamide Elastene
2% Silver



ANTIBACTERIAL ANTISTATIC INDUSTRIAL SOCKS PROFIT WOMEN'S SOCKS

SKU: PSASB2

ONE SIZE FITS ALL
76% Cotton
22 % Polyamide Elastene
2% Silver

TREAD PATTERNS



SOLE 1
(Black/Grey)
EASY TREAD

TREAD ON:
Hobo Boot
Hobo Shoe



SOLE 2
(Black/Pink)
WAFFLE IRON NON SLIP

TREAD ON:
Scarlet Boot
Charlotte Shoe



SOLE 2B
(Black/Grey)
WAFFLE IRON NON SLIP

TREAD ON:
All Wheel Drive Sneaker



SOLE 3
(Black/Black)
OFF ROAD TERRAIN 4X4

TREAD ON:
Parson Boot
Lynx Shoe
Assassin Chelsea Boot
Assassin Chelsea NSTC
Bagheera Chelsea Boot
Goliath Brown Boot
Goliath Black Boot
Parson Boot Non Metal
Goliath II Brown Boot
Goliath II Black Boot



SOLE 3B
(Black/Brown)
OFF ROAD TERRAIN 4X4

TREAD ON:
Parson S1 Boot
Diablo Boot
Diablo Shoe



SOLE 4
(Black/Red)
RUBBER GRIP HEAT RESISTANT 1

TREAD ON:
Shamrock Boot



SOLE 4B
(Black/Orange)
RUBBER GRIP HEAT RESISTANT 2

TREAD ON:
Tarantula Tan Boot
Tarantula Black Shoe



SOLE 4C
(Black/Red)
RUBBER GRIP HEAT RESISTANT 3

TREAD ON:
Tarantula Black Boot



SOLE 4D
(Black/Pink)
RUBBER GRIP HEAT RESISTANT 4

TREAD ON:
Ladies Black Widow Boot
Ladies RedBack Shoe



**PROFIT FOOTWEAR
HEAD OFFICE**

CONTACT NUMBER
+27 11 892 8030 / 8031 / 8032

WEBSITE
www.profitfootwear.com

EMAIL US ON
info@profitfootwear.co.za

ADDRESS
59 Maple Road, Pomona
Kempton Park 1619
Gauteng, South Africa